

Tabela Nr 1
Zestawienie montażowe oświetlenia ulicznego ulicy Wiśniowej w miejscowości Sieniawa zasilanego z istniejącej lampy L9/4/WO.

| Lp. | Nazwa materiału | Jm. | | | | | | | | | | | | | | | | | | | | | | | | | Razem | |
|-----|---|------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-------|------|
| | | istn. L9/4/WO | 9/4/1/WO | 9/4/2/WO | 9/4/3/WO | 9/4/4/WO | 9/4/5/WO | 9/4/6/WO | 9/4/7/WO | 9/4/8/WO | 9/4/9/WO | 9/4/10/WO | 9/4/11/WO | 9/4/12/WO | 9/4/13/WO | 9/4/14/WO | 9/4/15/WO | 9/4/16/WO | 9/4/17/WO | 9/4/18/WO | 9/4/19/WO | 9/4/20/WO | 9/4/21/WO | 9/4/22/WO | 9/4/23/WO | 9/4/24/WO | | |
| 1 | Fundament B-71 + elementy złączne do fundamentu | szt. | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 24 | |
| 2 | Plaskownik ocynkowany 25x4mm | m | | 42 | | 50 | | 46 | | 46 | | 49 | | 46 | | 50 | | 45 | | 48 | | 48 | | 47 | 20 | | 47 | 584 |
| 3 | Folia niebieska | m | | 42 | 7 | 39 | 45 | 40 | 29 | 41 | 27 | 33 | 35 | 33 | 37 | 29 | 27 | 40 | 43 | 43 | 27 | 43 | 36 | 42 | 34 | 31 | 35 | 838 |
| 4 | Kabel YAKXS 4x35mm2 | m | | 55 | 46 | 50 | 50 | 46 | 50 | 46 | 55 | 49 | 50 | 46 | 50 | 50 | 48 | 45 | 48 | 48 | 48 | 48 | 47 | 47 | 47 | 46 | 47 | 1162 |
| 5 | Rura DVK fi 75 | m | | 42 | 7 | 39 | 45 | 40 | 29 | 41 | 27 | 33 | 35 | 33 | 37 | 29 | 27 | 40 | 43 | 43 | 27 | 43 | 36 | 42 | 34 | 31 | 35 | 838 |
| 6 | Rura DVK fi 50 | m | 3 | 1,5 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 1,5 | 72 |
| 7 | rura oslonowa dwudzielna PS fi 110 | m | | | | | | | | | 1,5 | | | 2,5 | | | | | | | | | | | | | | 4 |
| 8 | Rura oslonowa SRS fi 75 | m | | 8 | 33 | 8 | | | 16 | | 21 | 10 | 10 | 7 | 8 | 16 | 16 | | | | 16 | | 6 | | 8 | 10 | 8 | 201 |